

Prediction and Visualization of Shopping Trends in E-commerce using Data Mining Techniques

Ashwini S

Assistant Professor

Department of Information science and Engineering
GSSS Institute of engineering and technology for Women ,
Mysuru
ashwini.s@gsss.edu.in

Abstract- Data Mining is the process of discovering interesting patterns from large datasets. Prediction of the current shopping trends can be done using frequent pattern mining technique. The algorithm such as Apriori and FP-tree has no visualization of the frequent patterns and also consumes more time for analyzing large datasets. Works reported until now have reduced the time consumption for analysis but does not visualize the generated patterns. This paper presents the visual exploration of frequent patterns for prediction of shopping trends using Boyer-Moore and Apriori algorithm. The generated frequent patterns are visualized into different graphs- Month Wise, Support vs Patterns, Confidence vs Patterns and Profit vs Patterns.

Keywords – Frequent Pattern, Shopping Trends, Data visualization, support and Confidence.

I. INTRODUCTION

Large data is generated in real life applications such as electronic store which are difficult to analyze using existing data discovery techniques such as Apriori or FP-Tree. Discovering interesting patterns such as: “which items are purchased together”, from this large set of textual rules is a tedious job therefore Association Rule is used for discovering interesting relations between frequent patterns in large datasets. For example, the rule {BREAD, JAM} => {CHEESE} found in the sales data of a supermarket would indicate that if a customer buys BREAD and JAM together, he or she is likely to also buy CHEESE. Such information can be used for making decisions about marketing activities like promotional pricing or product placements. By applying the support and confidence the frequent patterns are obtained and presented in graphical form which allows visual exploration of frequent patterns that predicts the efficient shopping trends by promoting visualized business analytics. Proposed visualization technique uses Line graphs which are useful in displaying data or information that changes continuously over time and the Bar Charts for visual impression of the distribution of data. Bar charts can display large amounts of data that are difficult to understand in a tabular or spreadsheet form. Therefore line graphs and Bar charts are more suitable for visualizing the generated frequent patterns in dynamic datasets.

II. PROBLEM STATEMENT

The traditional approach generates inefficient patterns which are not useful for shopping trends prediction leading to error prone results. The major drawback of traditional approach is not visualizing the generated patterns. Whereas the proposed system generates the efficient frequent patterns and predicts the shopping trends by applying association rules to dynamic datasets by visualizing the generated frequent patterns using different graphs to obtain shopping trends in E-commerce.

III. RELATED WORK

Association rules and frequent patterns can be discovered by using 3 types of measures such as i) Objective Measures (ii) Subjective Measures and (iii) Semantic Measures. Objective measure is a data-driven approach for evaluating the quality of association patterns. Subjective measures generally operate by comparing the beliefs of a user against the patterns discovered by the data mining algorithm. SSFPOA extracts and clusters semantically similar frequent patterns. It uses both domain dependent and domain independent ontologies, and considers the entire path to conform the semantic similarity between elements along with their structural information[1]. Visualizer that uses a radial layout to show frequent patterns.

A legible right-side-up graph to one user may become an illegible upside-down graph towards another user[2]. FpViz represents each frequent pattern visualized in graph where horizontal line represents k number of items and vertical line represents k number of nodes where each node represents an item within the frequent pattern [3]. FIsViz visualizer represents frequent pattern by a polyline. Domain items are taken along one axis and frequency is taken on the other axis. Problem with FIsViz is that it does not scale well. The location of the polyline indicates the exact frequency of the pattern explicitly [4]. CloseViz proposes a visualizer –in order to show only closed frequent patterns. Existing visualization systems were not designed to show frequent patterns and particularly semantically similar frequent patterns [5].

IV. METHODOLOGY

Algorithm - Apriori and Boyer-Moore Algorithm

Step 1: Scanning of Data- Scan the dataset (storage servers such as database or data stored in cloud, excel sheet, files).

Step 2: Data Cleaning- removing the irrelevant information and retaining relevant information for mining.

Step 3: Selection of Data (extract the target data for mining)- Extraction of previous customer transactions data set .

Step 4: Preprocessing of Data- extracting the customer previous transactions information based on the customer age, month wise, season wise, customer occupation wise etc.

Step 5: Calculating the support for distinct items [C1].

Step 6: Generate L1 (Frequent one item set).

Step 7: Use Lk-1, join Lk-1 to generate the set of candidate k - item set.

Step 8: Scan the candidate k item set and generate the support of each candidate k – item set.

Step 9: Add to frequent item set, until C=Null Set.

Step 10: For each item in the frequent item set generate all non empty subsets.

Step 11: For each non empty subset determine the confidence. The output of Apriori algorithm is given as input to the Boyer-Moore algorithm. If confidence is greater than or equal to this specified confidence – efficient pattern discovery

Step 12: Calculate the profit level for each pattern and extract patterns based on descending order.

A. Terminologies used in Algorithm

ITEM SET: The set of an item which is being sold.

SUPPORT: The support of the item set. It is the relationship between the total number of transaction containing the item with the total number of transaction in the data set.

Support (A->B) = The total number of transaction containing A and B / The total number of transaction in the data set.

CONFIDENCE: Confidence is defined as a relationship between the total number of transaction

containing the frequently bought items with the total number of transaction Containing only A.

Confidence (A->B) = The total number of transaction containing A and B / The total number of transaction containing only A.

V. DATASETS

The datasets are stored in SQL server database in the form of tables containing Admin details, Customer details, Item category, Item subcategory, Item details, Customer transactions, Transaction details, Problem Details, Strong rules, Feedbacks.

VI. EXPERIMENTAL RESULTS AND DISCUSSION

The frequent patterns are extracted by applying the association rules like the support and confidence, interesting frequent patterns generated from the dynamic datasets are then visualized in the form of graphs using Boyer-Moore and Apriori. Visual exploration of frequent patters predicts the shopping trends by promoting visualized business analytics. Fig1 shows the month-Wise visualization,fig2 shows the support vs the patterns,fig3 shows the visualization of confidence vs the frequent patterns and fig4 shows the profit-wise visualization of shopping trends.




Fig1- Month wise visualization of shopping trends using column graph.




Fig2- Line graph visualization of shopping trends based on support.




Fig3- point graph visualization of shopping trends based on confidence.




Fig4- Profit wise visualization of shopping trend using bar graph.

CONCLUSION

The predicted and visualized shopping trends are used for different analysis which provides the information of product trends based on different months using the month-wise graph. The support graph, confidence graph and the profit graph provides the product combinations purchased that helps businesses to promote their most profitable products to maximize the business profit.

REFERENCES

- 1] S. Vasavi, S. Jayaprada, V. Srinivasa Rao, "Extracting Semantically Similar Frequent Patterns Using Ontologies", *Proceedings of the Second international conference on Swarm, Evolutionary, and Memetic Computing* - 2011.
- 2] Carson Kai-Sang Leung and Fan Jiang. "RadialViz: An orientation- free frequent pattern visualizer", *In Proceedings of the 16th Pacific-Asia Conference on Knowledge Discovery and Data Mining*. Springer, 2012.
- 3] Carson Kai-Sang Leung, Christopher L. Carmichael, "FpViz: A Visualizer for Frequent Pattern Mining", ACM 978-1-60558-670-0/09/06, VAKD '09
- 4] C.K.-S. Leung, P.P. Irani, and C.L. Carmichael. "FIsViz: a frequent itemset visualizer". In Proc. PAKDD 2008.
- 5] Christopher L. Carmichael, Carson Kai-Sang Leung, "CloseViz: Visualizing Useful Patterns" UP' 10, 2010, ACM 978-1-4503-0216-6/10/07.