

TOP-K QUERIES DISPENSATION: A VIVACIOUS APPROACH

Marthe Ranjani A

PG Scholar, Dept of IT.

Sri Sairam Engineering College, Chennai-44.

a.m.ranjani11990@gmail.com

Ms.Ananthi M

Associate Professor, Dept of IT.

Sri Sairam Engineering College, Chennai-44

ananthi.sairam@gmail.com

Abstract— An effectual query processing plays an imperative role in the uncertain data streams. Exclusively, multiple top-k queries dispensation on uncertain data streams obtained from large applications of several fields such as sensor network monitoring and internet traffic control requires periodic execution of queries and sharing results among them. The system that monitors uncertain events in such data streams manipulates the top-k queries .Here the problem is that existing systems were not designed to allow query results sharing which in turn leads to high computation cost and imprecise reply from the system. To overcome these issues (Queries results sharing), the projected system using a sampling algorithm for sample the top possible worlds from well-known possible worlds based on their high probability. Consequently, proposed system uses an optimal dynamic programming approach that split the multiple queries into number of groups. Then the query

groups are scheduled and planned for sharing results to yield minimum computation cost. Consequently, a faster greedy algorithm is used to reduce the time and storage space of the top-k queries based on the greedy rule. Thus the proposed approach allows sharing computation among multiple top-k queries and generates best plan of query execution.

I.INTRODUCTION

There are many applications in which data naturally occur in the form of a sequence of values, for example feeler data, economic tickers, online auctions, Internet traffic, web usage logs, and phone call records. These data can be modeled as data streams, which are limitless data sets produced incrementally over time. Often, the error may occur due to the following reason such as monitoring equipment, individual worker mistakes, and interference in data transfer, these data may be unfinished, untrustworthy, or deafening, with

the result that uncertainty is inherent in these data stream applications. A great deal of work has focused on unsure data streams and the semantics of possible worlds has been widely adopted in dealing with them. A possible world is a possible instance amalgamation of tuples, usually within a sliding window. For a given time stamp, the tuples in the sliding window result in a number of possible worlds, whose number exponentially increase with the number of tuples in the sliding window. The applications listed above classically issue a large number of monitoring queries. These are queries that are registered to the system, and they are executed occasionally. An important subclass of these queries is top-k queries. For example, traffic monitoring applications typically wish to determine the top-k speeds of cars that pass through a control point, and volcano monitoring applications observe top-k readings from sensors that produce uncertain data streams. We discuss traffic monitoring in more detail below. Preceding work has measured executing these queries individually, but there are significant benefits to handling them collectively by exploiting similarities. This is the eminent multiquery optimization problem, which is known to be very solid in relational DBMSs. This trouble is particularly difficult over unsure data streams. Also, the maximum number of possible world combinations can be increased, which increases the processing time if the probability is not suitable to group top-k queries. To overcome these issues, the proposed system uses a sampling algorithm to sample the top possible worlds from well-known possible worlds based on their high

probability. Consequently, the proposed system uses an optimal dynamic programming approach that splits the multiple queries into a number of groups. Then the query groups are scheduled and planned for sharing results to yield minimum computation cost. Consequently, a faster greedy algorithm is used to reduce the time and storage space of the top-k queries based on the greedy rule. Thus the proposed approach allows sharing computation among multiple top-k queries and generates the best plan of query execution.

II. RELATED WORK

In the existing system top-k queries are processed using an optimal dynamic programming solution and a greedy algorithm [1]. Queries are processed efficiently using a greedy algorithm. Results are not shared, which leads to high computation cost. In the other paper, top-k queries use a sliding window with Maintain-CSQ and Batch update algorithm in uncertain data streams [2]. But it only applied on a simple data model and could not obtain expected better performance (time, storage, computation cost) in the complex data model. In another paper, top-k queries are processed using a Deterministic exact Algorithm and a Randomized method in continuous uncertain data streams [3]. Query processing efficiency linearly increased because of independent probabilistic uncertain data streams. The disadvantage is that limited scalability and communication cost is high because it supported only independent probabilistic uncertain data streams.

III. PROPOSED WORK

An efficient solution framework for top-k query evaluation. The applications compute queries that involve joining and aggregating multiple inputs to provide users with the top-k results. In order to reduce the possible worlds a sampling algorithm is used. In order to make the system more optimal a dynamic programming solution is been used to reduce the time, space complexity and the cost. A Faster Greedy Algorithm is used to reduce the storage space. It executes the multiple top-k queries based on the greedy rule.




Fig 1. Architecture.

The advantages are possible worlds are sampled that increased query processing speed, query executing cost is reduced using optimal dynamic programming method, execution time reduced using the Faster Greedy Algorithm also query processing storage space is reduced, multi k-queries are

sampled efficiently for future work ,accuracy increased.

IV. IMPLEMENTATION

Initial stage of the paper is to sample the possible worlds from the number of possible worlds based on the lower and upper probability and to combine the top-k query groups into single query group based on combination rule. Sometimes, the top-k queries may not be used all possible worlds' probability because of the top-k limitation. So the limited possible worlds can be eliminated use using sampling method $l \leq P_{(PW)} \leq u$ where l-represent lower probability constraint, u-represent upper probability constraint $P_{(PW)}$ -represent probability of possible worlds. Top-k Queries are combined into query groups and the query groups are combined into no sharing between them. The Top-k queries are divided into number of groups. The query groups are combined until no pair of groups occurred between them i.e. $k_{max_i} \geq k_{max_j}$ and $i < j$ and $f_i < f_j$, where k- represent top value f- represent frequency upper bound, i-represent the first query group, j- represent next query group. This process is implementation is shown in the figure 2 and 3.




Fig2. Implementation




Fig 3 Implementation

V.CONCLUSION

The top-k queries are always frequently executed. The queries may take more storage and time if every query is executed individually. So, to prevent this issue the query optimization is utilized. The two implementation steps of the proposed method show that the best query optimization is achieved. The first step is sampling the possible worlds effectively to reduce top-k computation of every tuples. The second is combining almost all query groups into very less query group that can be utilized to share the intermediate results between them.

VI.REFERENCES

[1] Tao Chen, Lei Chen, Member, IEEE, M.Tamer Ozsu, Fellow, IEEE, and Nong Xiao "Optimizing Multi-Top-k Queries over Uncertain Data Streams", IEEE transactions on knowledge and data engineering, august 2013

[2] Cheqing Jin, Ke Yi, Lei Chen, Jeffrey Xu Yu, Xuemin Lin "Sliding Window Top-k Queries on Uncertain Streams", 2011.

[3] Ming Hua, Jian Pei, "Continuously monitoring top-k uncertain data streams: a probabilistic threshold method", Distributed Parallel Databases (2010) 26: 29–65

[4] Caiyan Dai, Ling Chen, Yixin Chen, Keming Tang "An Efficient Algorithm for Top-k Queries on Uncertain Data Stream", IEEE International Conference, 2010..

[5] Caiyan Dai, Ling Chen, Yixin Chen, Keming Tang "An Efficient Algorithm for Top-k Queries on Uncertain Data Stream", IEEE International Conference, 2013.

[6] L.Golab and M.T.Ozsu, Morgan & Claypool, "Multi-Query Optimization of Sliding Window Aggregates by Schedule Synchronization", Data Stream Management 2010.

[7] Tingjian Ge, Stan Zdonik, Samuel Madden, "Top-k Queries on Uncertain Data: On Score Distribution and Typical Answers", 2009.

[8] Ke Yi, Feifei Li, George Kollios, Divesh Srivastava, "Efficient Processing of Top-k Queries in Uncertain Databases", IEEE Conference, 2008

[9] M.A. Soliman, I.F. Ilyas, and K.C.-C. Chang, "Top-k Query Processing in Uncertain Databases," Proc. IEEE 23rd Int'l Conf. Data Eng., pp. 896-905, 2007

